## WHEEL-BALANCERS - PASSENGERS' CARS Compact body, higher-end technologies at a very convenient price. Jolume 230V-1ph NFW KG 58NF S800 1100 mm 510 mm 75 Kg www.giuliano-automotive.com DIGITAL ELECTRONIC 2-D WHEEL BALANCER WITH LED DISPLAY Complete with Wheel guard, cones and quick clamping ring nut Advanced software for further upgrades. 0 Automatic measuring of wheel width through **SONAR LA** (optional) USB port for firmware updating via PC/notebook ··· 0 **SPECIAL ALU PROGRAM** Intuitive, Easy-to-use Control Panel meter | Ext Dia Int Dia FUNCTIONS - Automatic measuring of wheel diameter and Fxt dist distance Automatic START and STOP Programs for selecting the best Static and dynamic correction planes for any kind balancing and shape of alloy rim. OPTIMATCH function Self-diagnosis and Self-SELF SELECTION MODE calibration Self-recognition of the Working program. WIDTH ESTIMATION A very practical Wheel The width of the Lifter reduces effort rim automatically and increases productivity suggested (optional). according to the measured diameter and distance. Pedal brake **HIDDEN WEIGHT OPPOSIT POSITION** Fast & Easy Split (FES) Opposite Weight function function, is really the fastest (OPF), enables to place method on the market to the balancing stick-on split balancing weights weight on the lower inside FES OPF part of the aluminum wheel behind the spokes of your aluminum wheel (at 6:00). **EXTENSIVE SELECTION** The performance of the machine over time can improve, thanks to targeted updates. OF STANDARD ACCESSORIES

## **OPTIONAL ACCESSORIES**



Wheel clamping adaptors

Clamping cones with spacers • Wheel lifter and much more

Find out more on our website !

## STANDARD FEATURES

Max. wheel weight	75 kg
Max. wheel diameter	1100 mm
Rim diameter	10"-30" / 255-765 mm
Rim width	1,5"-20" / 40-510 mm
Power supply	230V 1ph (50/60) Hz
Unbalance detection time	4,7 sec. (5 3/4"x14") 15 kg.
Balancing speed	< 150 rpm
Balancing precision	÷1g
Net weight with guard	88 kg
Max. overall dimensions	1300x1250X1455 mm

## **STANDARD ACCESSORIES**





 Manual gauge for measuring wheel rim width • Cones and quick clamping ring nut . Counterweight pliers

79